

SUN ANTIFUNGAL

Microbial Wall Wash and Anti-rooting Solution

DESCRIPTION

SUN ANTIFUNGAL is an excellent fungicidal and bactericidal disinfectant. It exhibits broad spectrum germicidal potency. It not only controls fungus and bacteria but controls algae. It can be recommended as washing agent for exterior walls prior to painting in food industry, healthcare centers etc. where a high hygiene standard is required. It also can be used as anti-rooting treatment for planter boxes and soft landscape areas.

SALIENT FEATURES:

1. Miscible with water, easy to handle.
2. Treats and controls fungal and bacterial growth.
3. Non toxic to human beings.
4. Non corrosive
5. Treats and controls roots of plants.

TECHNICAL DATA:

1. Appearance : Clear pale yellow colored liquid
2. pH (5% soln): 6 to 8
3. Sp. Gr.@ R T: 1.05 ± 0.02

DIRECTIONS FOR USE:

For Microbial Wall Wash

1. On vertical walls 5% aqueous solution of **SUN ANTIFUNGAL** to be used as micro-bio-wash. Allow it to remain in contact for about 10 minutes, then scrubbing may be required. Wash with fresh water to remove loosened microbial deposits. Allow to dry before painting.

2. For sanitation in dairies, hospitals, Food industries, 2 % aqueous solution of **SUN ANTIFUNGAL** can be used. Final rinsing with fresh water is necessary.

For Anti-rooting treatment to plants

Mix 30%-40% anti-rooting solution in water homogenously. Apply 3 coats by maintaining 4-5 hrs time intervals. Do the application before earth filling.

PACKING

- 1, 5, 20 ltrs HDPE containers.

SHELF LIFE:

Six months when stored in closed, sealed containers in a cool and dry place.

HAZARDS IDENTIFICATION

Health hazards: No particular hazard known. If the product spills on to the skin and dries up, some irritation may occur.

FIRST AID MEASURES

Skin contact: Immediately wash thoroughly with soap and water.

Inhalation: Remove to open air. Seek medical attention.

Contact with eyes: Immediately wash under running water with eyelids open for at least 15 minutes. Seek medical attention.

Ingestion: Rinse mouth thoroughly and drink plenty of water. Seek medical attention.

ACCIDENTAL RELEASE MEASURES

Environment Care: Clean small spillages immediately with water. Contain large spillages with suitable absorbent materials. Dispose the waste water/absorbent material in accordance with local regulations.

QUALITY ASSURANCE

All products are manufactured under a Quality Management System for Design, Manufacturing and Selling of Construction Chemicals as per the standards of ISO 9001: 2000.



DISCLAIMER

This information is accurate and reliable to the best of the knowledge. It is meant as a guideline only. Sunanda Speciality Coatings Pvt. Ltd. (SSCPL) cannot give any guarantees under any circumstances for the results, or assume any obligation or liability in connection with the use of this information. It is recommended that the product be tested to determine its suitability for specific applications. Since, SSCPL has no control over how others may use its products; it is recommended that the Specifier, Architect, Engineer, Contractor and Owner assume all the responsibilities in connection therewith.